


AERO

REDUCTIE



• OMSCHRIJVING

De reductie is een geperste symmetrische verloopstuk, vervaardigd uit gegalvaniseerd staal met DUBBELE rubberdichting, luchtdichtheid klasse D.

AERO

Ø d1 [mm]	Ø d2 [mm]	L [mm]	Gewicht [kg]
100	80	18	0,20
125	80	28	0,20
	100	22	0,20
140	100	30	0,20
	125	30	0,20
150	100	35	0,20
	125	30	0,20
160	80	48	0,30
	100	37	0,30
	125	26	0,20
180	125	40	0,30
	140	30	0,30
	150	30	0,30
	160	30	0,30
200	100	58	0,40
	125	46	0,40
	140	40	0,30
	150	35	0,30
	160	26	0,30
	180	30	0,30
224	150	50	0,40
	160	50	0,40
	180	30	0,40
	200	30	0,40
250	125	70	0,50
	150	60	0,50
	160	53	0,50
	180	50	0,40
	200	31	0,60
	224	50	0,50
280	160	80	0,60
	180	70	0,60
	200	60	0,60
	224	40	0,60



Aero - Dynamiek



EN ISO 9001:2008



2195-CPD-1216101

AERO

\varnothing d1 [mm]	\varnothing d2 [mm]	L [mm]	Gewicht [kg]
300	200	70	0,70
	224	60	0,70
	250	30	0,60
	280	30	0,70
315	160	88	0,80
	180	90	0,80
	200	68	0,70
	224	60	0,70
	250	43	0,70
	280	40	0,70
	300	38	0,70
355	200	110	1,10
	224	90	1,00
	250	70	1,00
	315	30	0,90
400	200	140	1,50
	224	120	1,40
	250	100	1,30
	315	60	1,30
	355	30	1,20
450	250	140	2,00
	280	110	1,90
	300	100	1,90
	315	90	1,80
	355	60	1,70
	400	40	1,70
500	250	128	2,20
	300	140	2,40
	315	120	2,20
	355	100	2,20
	400	70	2,10
	450	40	2,10



Aero - Dynamiek



2195-CPD-1216101



AERO

\varnothing d1 [mm]	\varnothing d2 [mm]	L [mm]	Gewicht [kg]
560	315	170	2,90
	355	140	2,80
	400	110	2,70
	450	80	2,60
	500	75	2,60
600	400	130	3,10
	450	100	3,00
	500	70	2,70
	560	30	2,40
630	315	160	3,20
	400	140	3,30
	450	120	3,30
	500	80	3,00
	560	75	2,90
	600	30	2,50

• LUCHTDICHTHEIDSTEST

LUKA Klasse					
Testdruk	Flensdruk	Gemeten Lekverlies	Wandoppervlak	Max. Lekverlies gemeten	Max. Lekverlies berekend
P1	ΔP	$\varnothing L$	A	$\varnothing L_t$	$\varnothing L_a$
[Pa]	[PA]	[l/s]	[m ³]	[l/s.m ²]	[l/s.m ²]
1555	215	1.383	12.38	0.112	0.119
2055	332	1.719	12.38	0.139	0.142

AERO





Aero - Dynamiek



2195-CPD-1216101

AERO





Aero - Dynamiek



2195-CPD-1216101

AERO



Aero - Dynamiek



EN ISO 9001:2008



2195-CPD-1216101